Sequence Listing could not be accepted due to errors.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866)

217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: Wed Sep 05 15:35:32 EDT 2007

\*\*\*\*\*\*\*\*\*\*

Reviewer Comments:

<210> 6

<211> 6

<212> PRT

<213> Homo sapiens

<220>

<221> Variant

<222> (1)..(1)

<223> Wherein Xaa is an N-acetyl group.

<220>

<221> Variant

<222> (6)..(6)

<223> Wherein Xaa is a 7-amino-4-methylcoumarin group.

<400> 6

Xaa Ile Glu Pro Asp Xaa

1

The above explanations for Xaa are invalid: "Xaa" can only represent a single amino acid, not a functional group.

<210> 29

<211> 4

<212> PRT

<213> Homo sapiens

```
<220>
 <223> Chymotrypsin substrate specificity
 <220>
.<221> VARIANT
<222> 1
 <223> Xaa= any amino acid
 <220>
 <221> VARIANT
 <222> 2
 <223> Xaa= any amino acid
 <220>
 <221> VARIANT
 <222> 3
<223> Xaa= Val or Pro
 <220>
 <221> VARIANT
 <222> 4
 <223> Xaa= Phe ot Tyr
 <400> 29
 Xaa Xaa Xaa Xaa
  1
 The above <223> explanation for "Xaa" at location 4 contains a
 misspelling: please replace "ot" with "or."
 <210> 54
 <211> 4
 <212> PRT
 <213> Homo sapiens
 <220>
 <223> Cathepsin F substrate spec.
```

<220>

## Validated By CRFValidator v 1.0.3

**Application No:** 

10677977

**Version No:** 

4.0

Input Set:

Output Set:

**Started:** 2007-08-23 14:48:11.063

Finished: 2007-08-23 14:48:11.915

Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 852 ms

···

Total Warnings: 3

Total Errors: 3

No. of SeqIDs Defined: 57

Actual SeqID Count: 57

Error code		Error Description		
W	213	Artificial or Unknown found in <213> in SEQ ID (3)		
W	213	Artificial or Unknown found in <213> in SEQ ID (5)		
W	213	Artificial or Unknown found in <213> in SEQ ID (22)		
E	257	Invalid sequence data feature in <221> in SEQ ID (22)		
E	257	Invalid sequence data feature in <221> in SEQ ID (22)		
E	341	'Xaa' position not defined SEQID (54) POS (2)		

## SEQUENCE LISTING

<110>	Nguyen, Jack	
	Thanos, Chris	
	Waugh Ruggles, Sandra	
	Craik, Charles S.	•
<120>	METHODS OF GENERATING AND SCREENING FOR PROTEASES WITH AL	TERED
	SPECIFICITY	
41.20	10040 007001 /4007	
<130>	19049-005001/4905	
<140>	10677977	
<141>	2003-10-02	
•	· · ·	•
<150>	60/425,388	
•	2002-10-02	
<160>	57	
<170×	Factor for Windows Voyaion 4.0	•
<b>\170</b> /	FastSEQ for Windows Version 4.0	
<210>	1 .	
<211>	277 : :	
<212>	PRT	
<213>	Homo sapiens ·	
<400>	1	
	·	
	Asn Thr Glu Asn Ser Val Asp Ser Lys Ser Ile Lys Asn Leu	
1	5 10 15	•
Glu Pr	Lys Ile Ile His Gly Ser Glu Ser Met Asp Ser Gly Ile Ser	
	20 25 30	
	•	
Leu As	. Asn Ser Tyr Lys Met Asp Tyr Pro Glu Met Gly Leu Cys Ile	
	35 40 45	
•	•	
Ile Ile	a den den luc den Dho Wie luc Sor Thr Clu Mot The Com des	
50	Asn Asn Lys Asn Phe His Lys Ser Thr Gly Met Thr Ser Arg  55  60	
	•	
	Thr Asp Val Asp Ala Ala Asn Leu Arg Glu Thr Phe Arg Asn	
65	70 75 80	
•		
Leu Ly	Tyr Glu Val Arg Asn Lys Asn Asp Leu Thr Arg Glu Glu Ile	
	85 90 95	
	•	

Val Glu Leu Met Arg Asp Val Ser Lys Glu Asp His Ser Lys Arg Ser

105

110

.'1

100

```
<211> 42
<212>
      DNA'
<213> Artificial Sequence
<220>
<223> Granzyme B Mutation Forward Primer
<400> 3
ccagcgtata attctaagac agcctccaat gacatcatgc tg
                                                                    42
<210> 4
<211> 6
<212> PRT
<213> Homo sapiens
<400> 4
Ile Glu Thr Asp Ser Gly
1
<210> 5
<211> 42
<212> DNA
<213> Artificial Sequence
<220>
<223> Granzyme B Mutation Reverse Primer
<400> 5
cagcatgatg tcattggagg ctgtcttaga attatacgct gg
                                                                    42
<210> 6
<211> 6 ·
<212>
      PRT
<213> Homo sapiens
<220>
<221> Variant
<222>
       (1)..(1)
<223> Wherein Xaa is an N-acetyl group.
<220>
<221> Variant
<222>
       (6)..(6)
<223>
       Wherein Xaa is a 7-amino-4-methylcoumarin group.
<400> 6
Xaa Ile Glu Pro Asp Xaa
1
```

,'į

 $\cdot$ ',

<210> 7

Ser Phe Val Cys Val Leu Leu Ser His Gly Glu Glu Gly Ile Ile Phe 115 120 125

Gly Thr Asn Gly Pro Val Asp Leu Lys Lys Ile Thr Asn Phe Phe Arg 130 135 140

Gly Asp Arg Cys Arg Ser Leu Thr Gly Lys Pro Lys Leu Phe Ile Ile 145 150 150 160

Gln Ala Cys Arg Gly Thr Glu Leu Asp Cys Gly Ile Glu Thr Asp Ser 165 170 175

Gly Val Asp Asp Met Ala Cys His Lys Ile Pro Val Asp Ala Asp 180 185 190 ί,

Phe Leu Tyr Ala Tyr Ser Thr Ala Pro Gly Tyr Tyr Ser Trp Arg Asn 195 200 205

Ser Lys Asp Gly Ser Trp Phe Ile Gln Ser Leu Cys Ala Met Leu Lys 210 215 220

Gln Tyr Ala Asp Lys Leu Glu Phe Met His Ile Leu Thr Arg Val Asn 225 230 . 235 240

Arg Lys Val Ala Thr Glu Phe Glu Ser Phe Ser Phe Asp Ala Thr Phe 245 250 255

His Ala Lys Lys Gln Ile Pro Cys Ile Val Ser Met Leu Thr Lys Glu 260 265 270

Leu Tyr Phe Tyr His 275

<210> 2.

<211> 6

<212> PRT

<213> Homo sapiens

<400> 2

Phe Ser Phe Asp Ala Thr 1

<210> 3

```
<221> VARIANT
<222> 1
<223> Xaa=any amino acid

<220>
<221> VARIANT
<222> 3
<223> Xaa=any amino acid

<220>
<221> VARIANT
<222> 4
<222> 4
<223> Xaa=Lys or Arg
```

<400> 54 Xaa Xaa Leu Xaa 1

The above "<222> 3" is an incorrect location for "Xaa:" "Leu" is at location 3; "Xaa" is at location 2.

\*\*\*\*\*\*\*\*\*\*\*\*\*

```
<211>
 <212> PRT
 <213> Homo sapiens
 <400> 7
 Ala Glu Ala Lys
 1
 <210> 8
 <211> 4
' <212> PRT
 <213> Homo sapiens
 <400> 8
 Glu Asn Val Lys
 1
 <210> 9
 <211> 4
 <212> PRT
 <213> Homo sapiens
 <400> 9
 Gly Thr Glu Asp
 1
 <210> 10
 <211> 4
 <212> PRT
 <213> Homo sapiens
 <400> 10 ·
 Ser Pro Thr Arg
 1
 <210> 11 '
 <211> 4
 <212> PRT
 <213> Homo sapiens
 <400> 11
 Val Ser Thr Arg
<210> 12
```

<211> 4

<212> PRT

.1

```
<400> 12
Ser Thr Ser Phe
1
<210> 13
<211> 4
<212> PRT
<213> Homo sapiens
<400>,13,
Lys Phe Pro Asp
1
<210> 14
<211> 4
<212> PRT
<213> Homo sapiens
<400> 14
Ala Glu Gln Arg
1
<210> 15
<211> 4
<212> PRT
<213> Homo sapiens
<400> 15
Lys Tyr Ala Asp
<210> 16
<211> 4 .
<212> PRT
<213> Homo sapiens
<400> 16
Asn Gly Pro Lys
1 .
<210> 17
```

<213> Homo sapiens

<211> 4

<212> PRT

<213> Homo sapiens

• :

j'i

```
Ser Ser Ala Tyr
1
<210> 18
<211> 4
<212> PRT
<213> Homo sapiens
<400> 18
Gly Thr Ser Asp
1
<210> 19
<211>
<212> PRT
<213> Homo sapiens
<400> 19
Ala Gln Glu Lys
1
<210> 20
<211> 4
<21.2> PRT
<213> Homo sapiens
<400> 20
Arg Ile Asp Tyr
.1 .
<210> 21
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> IEPD
<400> 21
Ile Glu Pro Asp
 1
<210> 22
<211> 4
<212> PRT
<213> Artificial Sequence
```

. .

<400> 17

```
<220>
<223> Ac-DEVD-AMC fluorogenic substrate
<220>
<221> MOD_RES
<222> 1
<223> N-acetyl
<220>
<221> MOD_RES
<222> 4
<223> AMC
<400> 22
Asp Glu Val Asp
1
<210> 23
<211> 4
<212> PRT
<213> Homo sapiens
<220>.
<223> granzyme B substrate specificity
<220>
<221> VARIANT
<222> 1
<223> Xaa- Ile or Leu
<220>
<221> VARIANT
<222> 3
<223> Xaa = any amino acid
<400> 23
Xaa Glu Xaa Asp
1
<210> 24
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> Granzyme A substrate specificity
<220>
<221> VARIANT
<222> i
<223> Xaa- Ile or Val
<220>
<221> VARIANT
<222> 2
```

.,

```
<223> Xaa= Ala or Gly
<220>
<221> VARIANT
<222> 3
<223> Xaa= Asn, Asp or Glu .
<400> 24
Xaa Xaa Xaa Arg
 1
<210> 25
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> Cathepsin G substrate specificity
<220>
<221> VARIANT
<222> 1
<223> Xaa= any amino acid
<220>
<221> VARIANT
<222> 2
<223> Xaa= any amino acid
<220>
<221> VARIANT
<222> 3
<223> Xaa= Val or Leu
<220>
<221> VARIANT
<222> 4
<223> Xaa- Phe or Lys
<400> 25
Xaa Xaa Xaa Xaa
. 1
<210> 26
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> MTSP-1 substrate specificity
<220>
<221> VARIANT
<222> 1
<223> Xaa= Arg or any hydrophobic amino acid
```

<u>, j</u>

```
<220>
 <221> VARIANT
 <222> 2
 <223> Xaa= Arg or any hydrophobic amino acid
 <220>
 <221> VARIANT
 <222> 3
 <223> Xaa= Ser or Thr
 <220>
 <221> VARIANT
 <222> 4
 <223> Xaa= Arg or Lys
 <400> 26
 Xaa Xaa Xaa Xaa
  1 .
 <210> 27
 <211> 4
 <212> PRT
 <213> Homo sapiens
 <220>
 <223> Neutrophil Elastase substrate specificity
· <220>
 <221> VARIANT
 <222> 1
 <223> Xaa= Arg, Met or Lys
 <220>
 <221> VARIANT
 <222> 2
 <223> Xaa= Gln or Glu
 <220>
 <221> VARIANT
 <222> 3
 <223> Xaa- Pro or Ala
 <220> .
 <221> VARIANT
 <222> 4
 <223> Xaa= Val, Ala or Ile
 <400> 27
 Xaa Xaa Xaa Xaa
  1
 <210> 28
 <211> 4
```

<212> PRT

'}

. i'.

, T -

```
<213> Homo sapiens
<220>
<223> Chymase substrate specificity
<220>
<221> VARIANT
<222> 1
<223> Xaa= any amino acid
<220>
<221> VARIANT
<222> 2
<223> Xaa= Glu or Ala
<220>
<221> VARIANT
<222> 3
<223> Xaa= any amino acid
<220>
<221> VARIANT
<222> 4
<223> Xaa- Phe or Tyr
<400> 28
Xaa Xaa Xaa
1
<210> 29
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> Chymotrypsin substrate specificity
<220>
<221> VARIANT
<222> 1
<223> Xaa= any amino acid
<220>
<221> VARIANT
<222> 2
<223> Xaa= any amino acid
<220>
<221> VARIANT
<222> 3
<223> Xaa- Val or Pro
<220>
<221> VARIANT
<2225 4
```

<223> Xaa- Phe ot Tyr

```
<400> 29
Xaa Xaa Xaa Xaa
 1
<210> 30
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> Easter substrate specificity
<220>
<221> VARIANT
<222> 1
<223> Xaa = Ile or Val
<220>
<221> VARIANT
<222> 2
<223> Xaa = Glu or Ala
<220>
<221> VARIANT
<222> 3
<223> Xaa = Val or Leu
<400> 30
Xaa Xaa Xaa Arg
 1
<210> 31
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> Factor Xa substrate specificity
<220>
<221> VARIANT
<222> 1
<223> Xaa= any amino acid
<220>
<221> VARIANT
<222> 2
<223> Xaa- any amino acid
<400> 31
Xaa Xaa Gly Arg
 1
```

.'1

```
<210> 32
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> Plasma Kallikrein substrate specificity
<220>
<221> VARIANT
<222> 1
<223> Xaa= any hydrophobic amino acid
<220>
<221> VARIANT
<222> 2
<223> Xaa= any amino acid
<220>
<221> VARIANT
<222> 3
<223> Xaa= Phe or Tyr
 . .
<400> 32
Xaa Xaa Xaa Arg
1 .
<210> 33
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> Plasmin substarte specificity
<220>
<221> VARIANT
<22.2> 2
<223> Xaa= any amino acid
<220>
<221> VARIANT .
<222> 3
<223> Xaa= Trp or Phe
<400> 33
Lys Xaa Xaa Lys
<210> 34
<211> 4
<212> PRT
```

<220>

<213> Homo sapiens

```
<223> Thrombin substrate specificity
<220>
<221> VARIANT
<222> 1 ·
<223> Xaa= Phe or Leu
<220>
<221> VARIANT
<222> 2
<223> Xaa= any amino acid
<400> 34
Xaa Xaa Pro Arg
1 . . .
<210> 35
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> tPA substrate specificity
<220>
<221> VARIANT
<222> 1
<223> Xaa= any amino acid
<220>
<221> VARIANT
<222> 2
<223> Xaa= Thr or Ser
<220>
<221> VARIANT .
<222> 3
<223> Xaa=Gly or Ser
<400> 35 ·
Xaa Xaa Arg
1
<210> 36
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> uPA substrate specificity
<220>
<221> VARIANT
<222> 1
```

<223> Xaa= any amino acid

```
<220>
<221> VARIANT
<222> 2
<223> Xaa= Thr or Ser
<220> .
<221> VARIANT
<222> 3
<223> Xaa= Ser or Ala
<400> 36
Xaa Xaa Xaa Arg
 1
<210> 37
<211> 4
<212> PRT
<213> Homo sapiens
<220>
.<223> 199F granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa= Ile or Val
<220>
<221> VARIANT
<222> 3
<223> Xaa - any amino acid
<400> 37
Xaa Glu Xaa Asp
 1
<210> 38
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> 199A granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa- Ile or Val
<400> 38
Xaa Glu Phe Asp
 1
```

. . .

```
<210> 39
.<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> I99K granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa= Ile or Val
<220>
<221> VARIANT
<222> 3
<223> Xaa= any amino acid
<400> 39
Xaa Glu Xaa Asp
 1
<210> 40
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> N218A granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa= Ile or Val
<220>
<221> VARIANT <222> 2
<223> Xaa= any amino acid
<220>
<221> VARIANT
<222> 3
<223> Xaa= any amino acid
<400> 40
Xaa Xaa Xaa Asp
 1
<210> 41
```

<211> 4

<212> PRT

```
<213> Homo sapiens
<220>
<223> N218T granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa= Ile or val
<220>
<221> VARIANT
<222> 2
<223> Xaa= Ala or Ser
<220>
<221> VARIANT
<222> 3
<223> Xaa= any amino acid
<400> 41
Xaa Xaa Xaa Asp
 1
<210> 42
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> N218V granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa=Ile or Val
<220>
<221> VARIANT
<222> 2
<223> Xaamany amino acid
<220>
<221> VARIANT
<222> 3
<223> Xaa=any amino acid
<400> 42
Xaa Xaa Xaa Asp
 1
```

<210> 43 <211> 4

. .

. ;

```
<212> PRT
<213> Homo sapiens
<220>
<223> R192A granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa= Ile or Val
<220>
<221> VARIANT
<222> 3
<223> Xaa= any amino acid
<400> 43
Xaa Glu Xaa Asp
1
<210> 44
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> R192E granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa= Ile or Val
<220>
<221> VARIANT
<222> 2
<223> Xaa= Lys, Gln or Ser
<220>
<221> VARIANT
<222> 3 .
<223> Xaa-any amino acid
<400> 44
Xaa Xaa Xaa Asp
 1
<210> 45
<211> 4
<212> PRT
<213> Homo sapiens
```

<220>

```
<220>
<221> VARIANT
<222> 1
<223> Xaa= Ile Val or Leu
<220>
<221> VARIANT
<222> 3
<223> Xaa= any amino acid
<400> 45
Xaa Glu Xaa Asp
1
<210> 46
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> Y174V granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa=Ile or Val
<220>
<221> VARIANT
<222> 3
<223> Xaa any amino acid
<400> 46
Xaa Glu Xaa Asp
 1
<210> 47
<211> 4
<212> PRT .
<213> Homo sapiens
<220>
<223> I99A/N218A granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1 · ·
<223> Xaa-Phe, Leu, Ile or Val
```

<220>

<223> Y174A granzyme B substrate spec.

```
<221> VARIANT
<222> 2
<223> Xaa- Ala or ser
<400> 47
Xaa Xaa Phe Asp
1
<210> 48
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> R192A/N218A granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa= Ile or Val
<220>
<221> VARIANT
<222> 2
<223> Xaa= Ala, Gln or Ser
<220>
<221> VARIANT
<222> 3
<223> Xaa= any amino acid
<400> 48
Xaa Xaa Xaa Asp
 1
<210> 49
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> R192E/N218A granzyme B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa- Ile or Val
<220>
<221> VARIANT
<222> 2
<223> Xaa= Arg, Lys or Ala
```

```
<220>
 <221> VARIANT
 <222> 3
 <223> Xaa= any amino acid
 <400> 49
 Xaa Xaa Xaa Asp
  1
 <210> 50
 <211> 4
<212> PRT
 <213> Homo sapiens
 <220>
 <223> Cathepsin G substrate specificity
 <220>
 <221> VARIANT
 <222> 1
 <223> Xaa=any amino acid
 <220>
 <221> VARIANT
 <222> 2
 <223> Xaa=any amino acid
 <220>
 <221> VARIANT
 <222> 3
 <223> Xaa=Phe or Trp
 <220>
 <221> VARIANT
 <222> 4
 <223> Xaa=Arg or Lys .
 <400> 50
 Xaa Xaa Xaa
 1
 <210> 51
 <211> 4
 <212> PRT
 <213> Homo sapiens
 <220>
 <223> Cathepsin V substrate spec.
 <220>
 <221> VARIANT
 <222> 1
 <223> Xaa= any amino acid
```

```
<220>
<221> VARIANT
<222> 2
<223> Xaa= Pro or any amino acid
<220> ·
<221> VARIANT
<222> 3
<223> Xaa= Trp, Tyr or Phe
<220>
<221> VARIANT
<222> 4
<223> Xaa= any amino acid
<400> 51
Xaa Xaa Xaa Xaa
1
<210> 52
<211> 4 . .
<212> PRT
<213> Homo sapiens
<220>
<223> Cathepsin K substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa-any amino acid
<220>
<221> VARIANT
<222> 2
<223> Xaa=any amino acid
<220>
<221> VARIANT
<222> 3
<223> Xaa=Leu or Pro
<220>
<221> VARIANT
<222> 4
<223> Xaa=Arg or Lys
<400> 52
Xaa Xaa Xaa Xaa
1
<210> 53
<211> 4
```

<212> PRT

```
<213> Homo sapiens
. <220>
<223> Cathepsin S substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa=any amino acid
<220>
<221> VARIANT
<222> 2
<223> Xaa=Arg or any amino acid
<220>
<221> VARIANT
<222> 3
<223> Xaa=Val, Leu or Met
<220>
<221> VARIANT
<222> 4
<223> Xaa=Lys.or Arg
<400> 53
Xaa Xaa Xaa Xaa
 1
 <210> 54
 <211> 4
 <212> PRT
 <213> Homo sapiens
 <220>
 <223> Cathepsin F substrate spec.
 <220>
 <221> VARIANT
 <222> 1
 <223> Xaa=any amino acid
 <220>
 <221> VARIANT
 <222> 3
 <223> Xaa=any amino acid
 <220>- 1
 <221> VARIANT
 <222> 4
 <223> Xaa-Lys or Arg
 <400> 54
```

' Xaa Xaa Leu Xaa

```
<210> 55
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> Cathepsin B substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa=any amino acid
<220>
<221> VARIANT
<222> 2
<223> Xaa=Pro or any amino acid
<220>
<221> VARIANT
<222> 3
<223> Xaa=Val, Phe or Tyr
<220>
<221> VARIANT
<222> 4
<223> Xaa-Arg or Lys
<400> 55
Xaa Xaa Xaa Xaa
 1
<210> 56
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<223> Papain substrate spec.
<220>
<221> VARIANT
<222> 1
<223> Xaa=any amino acid
<220>
<221> VARIANT
<222> 2
<223> Xaa-Pro or any amino acid
```

<220>

```
<221> VARIANT
<222> 3
<223> Xaa=Val, Phe or Tyr

<220>
<221> VARIANT
<222> 4
<223> Xaa=Arg or Lys

<400> 56
Xaa Xaa Xaa Xaa
1
```

<210> 57
<211> 4
<212> PRT
<213> Homo sapiens
<220>

<223> Cruzain substrate spec.

<

,:<u>;</u>

•